



| Client  | Quantity |
|---------|----------|
| Project | Position |

## **FUN 700**

Model: F70/40FRES/1V10/P Cod: MP01292123005

## **Technical data**

| Modularity:               | On cabinet with door |
|---------------------------|----------------------|
| Dimension (mm):           | 400x700x850          |
| Total eletric power (kW): | 9                    |
| Nr. Wells:                | 1                    |
| Well litres 1:            | 10                   |
| Well dimensions 1 (mm):   | 244x364x207          |
| Electric power (V):       | 380-415              |
| Ampere (A):               | 14                   |
| Phases:                   | 3N                   |
| Cable section (mmq):      | 5G2,5                |
| Frequency (Hz):           | 50-60                |
| Net volume (m3):          | 0,238                |
| Packing dimensions (mm):  | 477x776x1147         |
| Gross weight (kg):        | 44                   |
| Gross volume (m3):        | 0,425                |


## **Features**


| Working top:     | Made of AISI 304 stainless steel with a thickness of 10/10 mm  |
|------------------|--|
| Type of heating: | Direct   |
| Knobs:           | Knobs are made from a sturdy<br>heat-resistant polymer blend and<br>are equipped with liquid anti-<br>leakage washer |
| Heating:         | Tilting heating elements for efficient cleaning  |

In order to constantly offer the best possible products we reserve the right to make changes on technical specifications without incurring any obligation for equipment previously or subsequently sold.



## **Technical draw**







E: Electric power

In order to constantly offer the best possible products we reserve the right to make changes on technical specifications without incurring any obligation for equipment previouly or subsequently sold.