[라] modular



Client	Quantity
Project	Position

FUN 700

Features

Model: F70/40SPE/P

Cod: MP01332123002

Technical data


Modularity:	On cabinet with door
Dimension (mm):	400x700x850
Total eletric power (kW):	1
Nr. Wells:	1
Well litres 1:	25,5
Well dimensions 1 (mm):	325x530x150
Electric power (V):	220-240
Ampere (A):	5
Phases:	1
Cable section (mmq):	3G1
Frequency (Hz):	50-60
Net volume (m3):	0,238
Packing dimensions (mm):	477x776x1147
Gross weight (kg):	38
Gross volume (m3):	0,425

Working top:	Made of AISI 304 stainless steel with a thickness of 10/10 mm
Knobs:	Knobs are made from a sturdy heat-resistant polymer blend and are equipped with liquid anti- leakage washer
Handles:	Brushed aluminum finish
Heating:	Infrared ceramic heating elements

In order to constantly offer the best possible products we reserve the right to make changes on technical specifications without incurring any obligation for equipment previosly or subsequently sold.

Heated chip dump, bowl GN 1/1 oncabinet with door. Top, removable bowl GN 1/1 h. 150 mm. and false bottom realized in AISI 304 stainless steel. covering in AISI 304 stainless steel thickness 8/10; external reinforcements in anti-corrosion material (aluminised sheet metal); bottoms and internal parts in AISI 430 steel. Food is heated by an infrared ceramic heating element. Equipped with main switch and indicator light to show correct operation. 1 heating element x 1 kW. Electrical power supply VAC 230+1 50÷60 Hz.

Technical draw



E: Electric power

In order to constantly offer the best possible products we reserve the right to make changes on technical specifications without incurring any obligation for equipment previosly or subsequently sold.